



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil**

Version: 2      Latest revision: 01. 09. 2017      Date of issue: 10. 07. 2017      Page: 1/(11)

### SECTION 1 Identification of the mixture/substance and of the company/undertaking

1.1 Product identifier:

**MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil**

1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: synthetic 2-stroke motor oil

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Distribution and Service Ltd.

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Distribution and Service Ltd.

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

1.4 Emergency telephone number

Emergency telephone (07-15<sup>20</sup> h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyváradi tér 2.)

Tel.: 36 80 201 199 (0-24 h, free number).

National Health Toxicological Information Service:

### SECTION 2 Hazards identification

2.1 Classification of the mixture or substance

Hazard Class and Category:      Hazard statement:

Not classified.

-



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil**

Version: 2      Latest revision: 01. 09. 2017      Date of issue: 10. 07. 2017      Page: 2/(11)

### 2.2 Label elements

Product identification:      Trade name: **MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil**

Hazardous components: -

GHS Pictogram:      not required

Signal word:      not required

Hazard statement:

**not required**

Supplemental hazard information: -

Precautionary statements – General: -

Precautionary statements – Prevention:

**P273**      Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501**      Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger:      Not required.

Transport classification: see section 14.

### 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil**

Version: 2      Latest revision: 01. 09. 2017      Date of issue: 10. 07. 2017      Page: 3/(11)

### SECTION 3 Composition/information on ingredients

#### 3.2 Mixtures

Chemical description: Mixture of synthetic oil and refined mineral base oils containing presolvent, colorific and other additives.

Component(s) / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Base oil – unspecified, hydrotreated heavy paraffinic, C20- C50* REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	- (Note L)	-	max. 40
Base oil – unspecified, hydrotreated neutral oil- based, C20-C50	276-738-4	72623-87-1	- (Note L)	-	max. 40
Synthetic oil		9003-27-4	-	-	max. 40
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics REACH Registr. Nr.: 01-2119457273-39	918-481-9	-	Asp.Tox. 1 Flam.Liq. 3	H304 H226	max. 18

\*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

### SECTION 4 First aid measures

#### 4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.

Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil**

Version: 2    Latest revision: 01. 09. 2017    Date of issue: 10. 07. 2017    Page: 4/(11)

4.2 Most important symptoms and effects, both acute and delayed  
No data available.

4.3 Indication of any immediate medical attention and special treatment need  
Not required.

### SECTION 5 Fire-fighting measures

Fire hazards:  
Combustible.

5.1 Extinguishing media  
Suitable extinguishing media:  
Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:  
Water jet.

5.2 Special hazards arising from the mixture or substance  
Hazardous combustion products:  
On burning, carbon monoxide, carbon dioxide, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters  
Special protective equipment:  
According to the existing fire-fighting regulations.

Further information:  
Collect contaminated fire fighting water separately. It must not enter the sewage system.  
Contaminated extinguishing water must be disposed of in accordance with official regulations.

### SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures  
Personal precautions: see Section 8.

6.2 Environmental precautions:  
Confine spills to prevent material from entering sewers, watercourses, drains and into soil  
Notify relevant authority.

6.3 Methods and material for containment and cleaning up  
On soil: All kind of ignition sources should be remove. Recover free liquid by pumping. Contain spilled liquid with sand, earth or other suitable absorbents. Dispose of according to local regulations.  
On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil**

Version: 2      Latest revision: 01. 09. 2017      Date of issue: 10. 07. 2017      Page: 5/(11)

### 6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

## SECTION 7 Handling and storage

### 7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable materials.

Keep away from radiant heat and open flame.

Sufficient ventilation should be provided.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.

Handling temperature:

### 7.2 Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C

### 7.3 Specific end use(s)

Synthetic 2-stroke motor oil.

## SECTION 8 Exposure controls / personal protection

Engineering control measures:

Not required.

### 8.1 Control parameters:

**Mineral oil mist:** TWA: **5 mg/m<sup>3</sup>**; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

### 8.2 Exposure controls

Personal protection:

Respiratory protection: Breathing apparatus not required.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection: Protective goggles not required.

Skin protection: Protective clothing (oil resistant).

Other special: no data



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil**

Version: 2      Latest revision: 01. 09. 2017      Date of issue: 10. 07. 2017      Page: 6/(11)

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

### SECTION 9 Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:

Physical state:	liquid
Colour:	dark blue, clear
Odour:	characteristic

Change in physical state:

Pour point (ISO 3016):	typ. -48°C
Boiling point (DIN 51356):	not available

Others:

Flash point (COC) (EN ISO 2592):	typ. 110°C
Ignition point (EN ISO 2592):	not available
Autoignition temperature:	not available
Explosive properties:	not explosive
Oxidizing properties:	not oxidize
Vapour pressure at 20°C:	negligible
Density at 15°C (EN ISO 12185):	typ. 0.840-0.860 g/cm <sup>3</sup>
Solubility in water:	practically insoluble in water
Solubility in other solvents:	gasoline, kerosene, toluene, etc.
n-Octanol/water partition coefficient:	not available
Vapour density:	not available
Kinematic viscosity at 40°C (EN ISO 3104):	typ. 47.6 mm <sup>2</sup> /s
Kinematic viscosity at 100°C (EN ISO 3104):	typ. 8.4 mm <sup>2</sup> /s
pH:	not applicable

#### 9.2 Other information

no data available

### SECTION 10 Stability and reactivity

- |      |                                     |   |
|------|-------------------------------------|---|
| 10.1 | Reactivity:                         | Dangerous reactivity not known.   |
| 10.2 | Chemical stability:                 | No decomposition if stored and handled properly.  |
| 10.3 | Possibility of hazardous reactions: | Not known   |
| 10.4 | Conditions to avoid:                | Direct heat or ignition sources.  |
| 10.5 | Incompatible materials:             | Strong oxidizing agents.  |
| 10.6 | Hazardous decomposition products:   | No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5. |



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil**

Version: 2    Latest revision: 01. 09. 2017    Date of issue: 10. 07. 2017    Page: 7/(11)

### SECTION 11 Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity:

Oral:

Dermal:

Acute toxicity: irritation

Skin: not irritant (based on components)

Eye: not irritant (based on components)

Note: Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

Respiratory or skin sensitisation: not sensitising (based on components)

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The base oil(s) contain(s) less than 3% DMSO extract (IP 346), therefore not classified as carcinogenic material according to 1272/2008/EC.

Note P: The classification as a carcinogen or mutagen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 0,1 % w/w benzene (EU No 200-753-7).

Germ cell mutagenicity: not known, resp. not mutagen (based on components)

Carcinogenicity: not known, resp. not carcinogen (based on components)

Reproductive toxicity: not known, resp. no reproduction-damaging effect (based on components)

STOT-single exposure: not classified

STOT-repeated exposure: not classified

Aspiration hazard: not classified

### SECTION 12 Ecological information

12.1 Toxicity Not available.

Aquatic organisms:

Soil organisms:

Plants:

12.2 Persistence and degradability No data available.

Biodegradability: No data available.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil**

Version: 2      Latest revision: 01. 09. 2017      Date of issue: 10. 07. 2017      Page: 8/(11)

12.3	Bioaccumulative potential	No data available.
12.4	Mobility	
	Mobility in water:	Floats on water.
	Mobility in soil:	Absorbs in soil.
12.5	Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances.
12.6	Other adverse effects	
	Heavy metal content:	None.
	PCT, PCB and other chlorinated hydrocarbons:	None.
	Environmental effects:	Spills may form a film on water surfaces causing impaired oxygen transfer.
	Water hazard class (German):	WGK 1 (Classification by VwVwS)

### SECTION 13 Disposal considerations

#### 13.1 Waste treatment methods

##### Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 06\*

Synthetic engine, gear and lubricating oils.

Waste Identification Code: 13 02 05\*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

##### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

packaging containing residues of or contaminated by dangerous substances

Disposal must be in compliance with national and local regulations.

##### Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.





## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil**

Version: 2      Latest revision: 01. 09. 2017      Date of issue: 10. 07. 2017      Page: 9/(11)

### SECTION 14 Transport information

Land transport:

	Road/ Railway	ADR/RID:	Not classified.
14.1.	UN number:	-	
14.2.	UN proper shipping name:	-	
14.3.	Transport hazard class(es):	-	
14.4.	Packing group:	-	
14.5.	Environmental hazards:	-	
14.6.	Special precautions for user:	-	

Waterways:

Inland waterways/ Sea transport    ADN/IMDG:                      Not apply to the product.

Air transport:    ICAO / IATA:    Not apply to the product.

### SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture.  
This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.
- 15.2 Chemical safety assessment.  
not available

### SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

Hungarian lists of dangerous substances, 1272/2008/EC regulation, Annex XVII. of REACH

Relevant Hungarian regulation and EU directives



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil**

Version: 2      Latest revision: 01. 09. 2017      Date of issue: 10. 07. 2017      Page: 10/(11)

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)  
Not classified.      -

*The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:*

H226      Flammable liquid and vapour  
H304      May be fatal if swallowed and enters airways  
Flam.Liq. 3      Flammable liquid Category 3.  
Asp. Tox. 1      Aspiration hazard Category 1.

### Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec <sub>x</sub>	Effective Concentration x%
ErC <sub>50</sub>	EC <sub>50</sub> in terms of reduction of growth rate
Ed <sub>x</sub>	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC <sub>x</sub>	Lethal Concentration x%
LD <sub>x</sub>	Lethal Dose x%) Halálos dózis x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level



# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil**

Version: 2      Latest revision: 01. 09. 2017      Date of issue: 10. 07. 2017      Page: 11/(11)

LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

## Revision Indicators:

Section	Subject of change	Date	Version
9	Physical and chemical properties	01.09.2017	2