

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH)

Trade name: **MOL Dynamic Garden 4T 10W-30 small garden motor oil**

Version: 4 Latest revision: 27. 11. 2012 Date of issue: 20. 06. 2007 Page: 1/(12)

1. Identification of the mixture and of the company/undertaking

1.1 Product identifier:

MOL Dynamic Garden 4T 10W-30 small garden motor oil

1.2 Relevant identified uses of the mixture and uses advised against

Relevant identified uses: small garden motor oil

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of HSE, SD and QOP

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

Technical information:

MOL-LUB Ltd. Product Development and Technical Service

H-1117 Budapest, Október huszonharmadika utca 18., Hungary

Phone/Fax: +36 80 201 296 or +36 1 464 0236 / +36 1 464 0304

1.4 Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 1 476 6464, or +36 80 201 199

National Health Toxicological Information Service:

SAFETY DATA SHEET**MOL-LUB Ltd.**

according to regulation 1907/2006/EC (REACH)

Trade name: **MOL Dynamic Garden 4T 10W-30 small garden motor oil**

Version: 4 Latest revision: 27. 11. 2012 Date of issue: 20. 06. 2007 Page: 3/(12)

3. Composition/information on ingredients**3.1 Mixtures**

Chemical description: Mixture of refined mineral base oils and hydrotreated neutral oil containing additives.

Component(s) / Hazardous component(s):

Name	EINECS number	CAS number	Hazard symbol / Hazard classes and cat.	Risk phrase / Hazard statements	Conc. %(m/m)
Base oil – unspecified, hydrotreated heavy paraffinic, C20-C50* REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	67/548/EEC: - (Note L) 1272/2008/EC: - (L megjegyzés)	- - -	max. 95
Base oil – unspecified, hydrotreated neutral oil-based, C20-C50 REACH Registr. Nr.: 01-2119474889-13	276-738-4	72623-87-1	67/548/EEC: - (Note L) 1272/2008/EC: Asp.Tox.1 (Note L)	- - H304	
Lubricating oils (petroleum), C18-40* REACH Registr.Nr.: 01-2119486987-11	305-594-8	94733-15-0	67/548/EEC: - (Note L) 1272/2008/EC: Asp.Tox.1 (Note L)	- - H304	
Lubricating oils (petroleum), C24-C50* REACH Registr.Nr.: 01-2119489969-06	309-877-7	101316-72-7	67/548/EEC: - (Note L) 1272/2008/EC: Asp.Tox.1 (Note L)	- - H304	
Lubricating oils (petroleum), C>25* REACH Registr.Nr.: 01-2119486948-13	309-874-0	101316-69-2	67/548/EEC: - (Note L) 1272/2008/EC: - (Note L)	- - -	
Mineral oil raffinate*		confidential	67/548/EEC: - (Note L) 1272/2008/EC: - (Note L)	- - -	

SAFETY DATA SHEET**MOL-LUB Ltd.**

according to regulation 1907/2006/EC (REACH)

Trade name: **MOL Dynamic Garden 4T 10W-30 small garden motor oil**

Version: 4 Latest revision: 27. 11. 2012 Date of issue: 20. 06. 2007 Page: 4/(12)

Name	EINECS number	CAS number	Hazard symbol / Hazard classes and cat.	Risk phrase / Hazard statements	Conc. %(m/m)
Polyolefin polyamine succinimide, polyol	polymer		67/548/EEC: - 1272/2008/EC: Aquatic Chronic 4	R 53 H413	max. 2.5
Zinc alkyl dithiophosphate  REACH Registr. Nr.: 01-2119657973-23	272-028-3	68649-42-3	67/548/EEC: Xi, N 1272/2008/EC: Eye Dam. 1 Aquatic Chronic 2	R 41, R 51/53 H318 H411	max. 0.9
Calcium long chain alkaryl sulfonate 	polymer	722503-68-6	67/548/EEC: Xi 1272/2008/EC: Skin Sens. 1 Aquatic Chronic 4	R 43, R 53 H317 H413	max. 0.7
Calcium long chain alkaryl sulfonate	polymer	confidential	67/548/EEC: - 1272/2008/EC: Aquatic Chronic 4	R 53 H413	max. 0.15
Branched alkyl carboic acid and calcium alkyl carboic acid 	polymer	74499-35-7 and 132752-19-3	67/548/EEC: T, Xi, N 1272/2008/EC: Repr. 1B Skin Irrit. 2 Eye Irrit. 2 Aquatic Chronic 1	R 60 (Repr.Cat.2.), R 36/38, R 50/53 H360 H315 H319 H410	max. 0.15

*: with exposure limit

The full text of each relevant R-, H- phrase and Hazard classes and cat. see in Section 16.

4. First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH)

Trade name: **MOL Dynamic Garden 4T 10W-30 small garden motor oil**

Version: 4 Latest revision: 27. 11. 2012 Date of issue: 20. 06. 2007 Page: 5/(12)

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.

Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.

4.2 Most important symptoms and effects, both acute and delayed
No data available.

4.3 Indication of any immediate medical attention and special treatment need
Not required.

5. Fire-fighting measures

Fire hazards:
Moderately hazardous (see also Section 9 - flash point).

5.1 Extinguishing media
Suitable extinguishing media:
Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:
Water jet.

5.2 Special hazards arising from the mixture
Hazardous combustion products:
On burning, carbon dioxide, carbon monoxide, sulphur oxides, nitrogen oxides, phosphor oxides, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters
Special protective equipment:
According to the existing fire-fighting regulations. Respiratory protection.

Further information:
Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH)

Trade name: **MOL Dynamic Garden 4T 10W-30 small garden motor oil**

Version: 4 Latest revision: 27. 11. 2012 Date of issue: 20. 06. 2007 Page: 6/(12)

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be remove. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

7. Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known

7.2 Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C

7.3 Specific end use(s)

Small garden motor oil.

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH)

Trade name: **MOL Dynamic Garden 4T 10W-30 small garden motor oil**

Version: 4 Latest revision: 27. 11. 2012 Date of issue: 20. 06. 2007 Page: 7/(12)

8. Exposure controls / personal protection

Engineering control measures:
Not required.

8.1 Control parameters:

Mineral oil mist: TWA: **5 mg/m³**; STEL: 10 mg/m³, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Personal protection:

Respiratory protection: Breathing apparatus not required.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection: Protective goggles not required.

Skin protection: Protective clothing (oil resistant).

Other special: no data

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state:	liquid
Colour:	brown, clear
Odour:	characteristic

Change in physical state:

Pour point (ISO 3016):	typ. -37°C
Boiling point:	not available

Others:

Flash point (COC) (EN ISO 2592):	typ. 230°C
Ignition point (EN ISO 2592):	not available
Autoignition temperature:	not available
Explosive properties:	not explosive
Oxidizing properties:	not oxidize

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH)

Trade name: **MOL Dynamic Garden 4T 10W-30 small garden motor oil**

Version: 4 Latest revision: 27. 11. 2012 Date of issue: 20. 06. 2007 Page: 8/(12)

Vapour pressure at 20°C:	negligible
Density at 15°C (EN ISO 12185):	0.860 – 0.874 g/cm ³
Solubility in water:	practically insoluble in water
Solubility in other solvents:	gasoline, kerosene, toluene, etc.
n-Octanol/water partition coefficient:	not available
Vapour density:	not available
Heating value:	inf. 38 000 kJ/kg
Kinematic viscosity at 40°C (EN ISO 3104):	typ. 78.6 mm ² /s
Kinematic viscosity at 100°C (EN ISO 3104):	typ. 11.7 mm ² /s
pH:	not applicable

9.2 Other information
no data available

10. Stability and reactivity

- 10.1 Reactivity: Dangerous reactivity not known.
10.2 Chemical stability: No decomposition if stored and handled properly.
10.3 Possibility of hazardous reactions: Not known.
10.4 Conditions to avoid: Direct heat or ignition sources.
10.5 Incompatible materials: Strong oxidizing agents.
10.6 Hazardous decomposition products: No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Oral:	LD ₅₀ (rat)	> 2000	mg/kg	(based on components)
Dermal:	LD ₅₀ (rabbit)	> 2000	mg/kg	(based on components)

Acute toxicity: irritation

- Skin: not irritant (based on components)
Eye: not irritant (based on components)
Note: Prolonged and/or repeated contact may cause irritation on skin depending on individual sensitivity.

Respiratory or skin sensitisation: not sensitising (based on components), but may produce an allergic reaction

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH)

Trade name: **MOL Dynamic Garden 4T 10W-30 small garden motor oil**

Version: 4 Latest revision: 27. 11. 2012 Date of issue: 20. 06. 2007 Page: 9/(12)

Chronic toxicity: not known

Repeated dose toxicity: not known

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Carcinogen effect: not known, resp. not carcinogen (based on components)

Mutagen effect: not known, resp. not mutagen (based on components)

Reproduction-damaging effect: not known, resp. no reproduction-damaging effect (based on components)

Aspiration hazard: not known

12. Ecological information

12.1 Toxicity No data for the product.

Aquatic organisms:

Soil organisms:

Plants:

12.2 Persistence and degradability No data available.

Biodegradability: No data available.

12.3 Bioaccumulative potential No data available.

12.4 Mobility

Mobility in soil Absorbs in soil.

Mobility in water: Floats on water.

12.5 Results of PBT and vPvB assessment Not required.

12.6 Other adverse effects

Heavy metal content: None.

PCT, PCB and other chlorinated

hydrocarbons: None.

Environmental effects: Spills may form a film on water surfaces causing impaired oxygen transfer.

Water hazard class (German):

SAFETY DATA SHEET

MOL-LUB Ltd.

according to regulation 1907/2006/EC (REACH)

Trade name: **MOL Dynamic Garden 4T 10W-30 small garden motor oil**

Version: 4 Latest revision: 27. 11. 2012 Date of issue: 20. 06. 2007 Page: 12/(12)

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H360	May damage fertility or the unborn child.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Asp.Tox.1	Aspiration hazard Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Repr. 1B	Reproductive toxicity Category 1B
Aquatic Chronic 1	Hazardous to the aquatic environment, Chronic Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment, Chronic Category 4

Revision Indicators:

Section	Subject of change	Date	Version
9	Physical and chemical properties	16.11.2007	2
3	Composition / information on ingredients	24.01.2008	3
3	Composition/information on ingredients	27.11.2012	4
9	Physical and chemical properties		
1-16	Regulatory information, other corrections Revision modification according to 453/2010/EC		